



**BULUTLAR DERİ TEKSTİL SAN. VE DIŞ TİC. LTD. ŞTİ.**

**5. O.S.B. 83514 Nolu Cadde No: 3 Başpınar Şehitkamil / GAZİANTEP**

Tel: +90 530 332 36 60

Fax: +90 342 324 3621

## **CHLORINATED POLYETHYLENE**

### **CPE 135A**

#### **Applications:**

Conventional chlorinated polyethylene grade for PVC

#### **Features:**

CPE135A is a regular structure of the saturated thermoplastic resin, has good extrusion fluidity mixed with PVC.

#### **Product Specifications:**

Analysis Items	Specification
Appearance	White Powder
Chlorine content (%)	35±2
whiteness	≥85
Hot melt(J/g)	≤2.0
Volatile matter (%)	≤0.4
Sieve residue(0.9mm aperture)	≤2.0
mpurity Particle (No/100g)	≤30
Number of spots ( 150*150 )	≤ 80
Tensile strength(Mpa)	≥8.0
Elongation at break (%)	≥650
Shore A hardness(A)	≤65
The thermal stability Time(165°C)(min)	≥8